



Complete Collaboration Solution for Any Meeting Space

Solstice Conference paired with the Jabra PanaCast and Jabra Speak 750 combines the reach of video conferencing and the power of rich, multi-participant content sharing to enhance the collaboration experience between onsite and remote users.

This room solution is a new class of video conferencing room system that enhances meeting collaboration by seamlessly supporting all major conferencing platforms running on user's laptops and providing wireless connectivity to room technology.

Solstice Conference


- Multi-participant content sharing from any device
- Agnostic support for all major conferencing services
- Easy, one-step start from the meeting host's laptop
- Connects the Jabra PanaCast USB camera and Jabra Speak omnidirectional speakerphone to the video conference
- Enterprise-grade security and fully IT-compliant
- Cloud-based deployment management and analytics

Jabra PanaCast with Jabra Speak 750

- Panoramic 180° view without distortion with adaptive width of view and settings for different lighting conditions
- Omni-directional microphone and hifi-grade speaker with full duplex audio for best voice collaboration
- Easy plug-and-play USB and/or Bluetooth connectivity and installation

Meeting Host Laptop

- Requires Windows or macOS laptops to host meetings
- Supports Zoom, Teams, and most other conferencing apps



System Components

Mersive Solstice

Solstice Pod Gen3
 HDMI cable
 Power supply

Jabra PanaCast

180° panoramic camera
 USB-C to USB-A cable
 (1 m/3 ft)
 Powered USB hub or power injector

Jabra Speak 750

Speakerphone with touch controls
 Link 370 USB Bluetooth Adapter
 Theft protection, table mount, and
 travel pouch accessories

Additional Requirements

Meeting host laptop (Windows or
 macOS)
 Conferencing app (Teams, Zoom, etc.)
 Current Solstice Subscription

Installation Instructions

1. Attach the Solstice Pod to power and the local Ethernet and/or wireless network. (PoE+ supported).
2. Connect the Pod to the display monitor via HDMI (outer HDMI 1 port recommended). An optional second display monitor can also be connected to the Pod.
3. Connect the Jabra Panacast camera through a powered USB hub or USB power injector to one of the USB ports on the back of the Pod.
4. Connect the Jabra Speak to another USB port on the back of the Solstice Pod.
5. As a note, Mersive recommends configuring the Solstice Pod's basic settings, such as updating the display name to match the room name.

For conferencing support, meeting hosts simply install the Solstice app on their laptop device along with their web conferencing application of choice. Note that the host laptop must be connected to the same network as the Pod.

Technical Specifications

Solstice Pod Gen3

Part #: SP-8000-E1



Supported user devices	Windows, macOS, iOS, Android, Chromebook, Linux
Number of users	Unlimited
Number of content posts	Unlimited
Solstice app features	Conferencing Support (meeting hosts only, Windows and macOS supported) Share desktop, application window, image file, video file Intuitive drag-and-drop layout control Wireless annotation via smartphone
App-free sharing	AirPlay, Miracast, browser-based sharing, HDMI input
Streaming video support	4K UHD, Full HD, HD, SD
Network connection	Ethernet, WiFi, VLAN (x3)
Wireless frequency band	2.4 GHz and 5 GHz;
Security features	2048-bit network encryption Firewall protection between networks 802.1x authentication Access controls and moderation User authentication at runtime (optional)
Additional features	Wireless USB peripheral support Dual display support Touch display support Microsoft Exchange, O365, and Google Workspace calendar support Digital signage playback API for third-party integrations Cloud-based management and meeting analytics
Warranty	1-year limited hardware warranty with option to extend to 3 years

Jabra PanaCast with Jabra Speak 750

Part #: 8100-119
7700-409



Jabra PanaCast	180° panoramic camera
Video	Field of view: Horizontal: 180° / Vertical: 54° Number of cameras: 3 Light control: Brightness, Contrast, Saturation, Sharpness and White Balance Dynamic real-time stitching technology running in onboard PanaCast Vision Processor Supported resolutions: Panoramic-4K: 3840 x 1080 @ 30fps 1080 Full HD: 1920 x 1080 @ 30fps 720p HD: 1280 x 720 @ 30fps
Ease of use	Camera controls: Electronic Pan-Tilt-Zoom (ePTZ) Adjustable field of view: Choose between 90°, 120°, 140° and 180° through Jabra Direct
Connectivity	Plug-and-play via USB-C port Powered by USB 3.0 cable
Mounting options	Flexible monitor or laptop mount Optional wall mount and tabletop mount available separately
Jabra Speak 750	Omnidirectional microphone and speaker
Connectivity	Plug-and-play USB connectivity Bluetooth connectivity Jabra Link 370 USB Bluetooth Adapter (wireless range up to 100 feet/30 meters)
Audio	Omnidirectional 360° microphone pick-up HiFi grade speaker for outstanding voice, music, multimedia Digital Signal Processing (DSP) technology eliminates echoes and distortion Wideband audio/HD Voice
Ease of use	Up to 11 hours talk time LED indicators and intuitive user interface Folding stand: fold upright for music or fold flat for conference calls and collaboration Link button to pair two Speak 750 devices together for full stereo and immersive sound

Warranty 2 years

Please contact sales@mersive.com for purchase options.