



Complete Collaboration Solution for Midsize Meeting Spaces

Solstice Conference paired with the Logitech Rally combines the reach of video conferencing with the power of rich, multi-participant content sharing to enhance the collaboration experience between onsite and remote users.

This room solution delivers the convenience of a traditional room system with the flexibility to use any conferencing service installed on the meeting host's laptop.

Solstice Conference


- Multi-participant content sharing from any device
- Agnostic support for all major conferencing services
- Easy, one-step start from the meeting host's laptop
- Wirelessly connects the Logitech Rally system to the conference
- Enterprise-grade security and fully IT-compliant
- Cloud-based deployment management and analytics

Logitech Rally

- Ultra-HD ConferenceCam creates studio-quality video
- Front-of-room speaker provides rich, life-like sound
- Intelligent tabletop mic pod zeroes in on active speakers while reducing background noise
- For larger room configurations, additional mic pods can be added

Meeting Host Laptop

- Requires Windows or macOS laptops to host meetings
- Supports Zoom, Teams, and most other conferencing apps



System Components

Mersive Solstice

Solstice Pod Gen3
HDMI cable
Power supply

Logitech Rally

Rally Camera
Rally Speaker (x1)
Rally Mic Pod (x1)
Rally Display Hub
Rally Table Hub
Remote Control
USB Type C to USB Type C
USB Type A to USB Type B
CAT6A Ethernet cable
HDMI Type A (x2)
A/C cables (x2)
Mini XLR
Power supplies (x2)

Additional Requirements

Meeting host laptop (Windows or macOS)
Web conferencing service (Teams, Zoom, etc.)
Current Solstice Subscription

Installation Instructions

1. Mount the Logitech Rally Display Hub and Table Hub, and connect the two to power.
2. Connect the Display Hub to the Table Hub via the CAT-6 Ethernet cable.
3. Connect the Display Hub to the Solstice Pod via USB A to B.
4. Attach the Solstice Pod to power and the local Ethernet and/or wireless network (PoE+ supported).
5. Connect the Pod to the display monitor via HDMI (outer HDMI 1 port recommended). An optional second display monitor can also be connected to the Pod.
6. Connect the Rally Camera to the Display Hub via USB-C.
7. Connect the Rally Mic Pod to the Table Hub via USB-C.
8. Connect the Rally Speaker to the Display Hub via mini XLR.
9. As a note, Mersive recommends configuring the Solstice Pod's basic settings, such as updating the display name to match the room name.

For conferencing support, meeting hosts simply install the Solstice app on their laptop device along with their web conferencing application of choice. As a note, the host laptop must be connected to the same network as the Pod.

Technical Specifications

Solstice Pod Gen3

Part #: SP-8000-E1



Supported user devices	Windows, macOS, iOS, Android, Chromebook, Linux
Number of users	Unlimited
Number of content posts	Unlimited
Solstice app features	Conferencing Support (meeting hosts only, Windows and macOS supported) Share desktop, application window, image file, video file Intuitive drag-and-drop layout control Wireless annotation via smartphone
App-free sharing	AirPlay, Miracast, browser-based sharing, HDMI input
Streaming video support	4K UHD, Full HD, HD, SD
Network connection	Ethernet, WiFi, VLAN (x3)
Wireless frequency band	2.4 GHz and 5 GHz;
Security features	2048-bit network encryption Firewall protection between networks 802.1x authentication Access controls and moderation User authentication at runtime (optional)
Additional features	Wireless USB peripheral support Dual display support Touch display support Microsoft Exchange and O365 calendar support Digital signage playback API for third-party integrations Cloud-based management and meeting analytics
Warranty	1-year limited hardware warranty with option to extend to 3 years

Logitech Rally System

Part #: 960-001217



Conference camera	Logitech Rally
Microphones	1
Speakers	1
Remote control	RF remote control
Video quality	4K UHD, Full HD, HD, SD
RightSense™ technologies*	<p>RightLight with WDR Low-light compensation Video noise reduction Low-light saturation optimization Renders natural skin tones for each participant Reduces backlighting and glare without darkening</p> <p>RightSight Human figure detection Auto-frame participants at meeting start Auto-frame participants on-demand Auto-reframe when participants enter, leave, or change positions</p> <p>RightSound Machine learning AI trained to distinguish human speech from other sounds AEC (Acoustic Echo Cancellation) VAD (Voice Activity Detector) Background noise suppression Auto-level loud and soft voices RightSound Mic Matrix Anti-vibration suspension</p>
Additional features	Exceptional video quality Adaptive pan, tilt, zoom Smart cabling and sleek industrial design Advanced modular front-of-room audio Support for up to 7 Mic Pods
Mounting options	Rally mounting kit (optional)
Warranty	2-year limited warranty

Please contact sales@mersive.com and visit logitech.com for purchase options.

* Application-based Logitech RightSense functionality not supported through Solstice.